



1 lockers



2 shelving

All Probe products are available from a wide network of authorised Probe dealers



3 cupboards & work stations



4 kinetic mobile shelving



5 technic shelving



6 cloakroom



7 cabinets



8 ultrabox plastic lockers



MADE IN THE UK



MEETS BS 4680:1996



PROBE

ULTRABOX[®]
PLASTIC LOCKERS



1 2 3 4 5 6 7 8

CHALLENGING ENVIRONMENTS

ULTRABOX[®]


STYLE, INDOORS OR OUTSIDE*

*If sheltered from direct rain




ULTRABOX PLUS⁺

PERFORMS IN THE MOST CHALLENGING ENVIRONMENTS



SEAL OUT THE WEATHER

WATERPROOF SEAL, PLUG AND LOCK GASKET MAKES THE ULTRABOX PLUS FULLY WATERPROOF†



WATERPROOF DOOR SEAL

WATERPROOF LOCK GASKET

WATERPROOF DRAIN HOLE PLUG

SUITABLE FOR THE MOST CHALLENGING ENVIRONMENTS AND ALL WEATHER CONDITIONS



†We recommend the use of weather resistant or waterproof locks

PR BE

www.probe-manufacture.co.uk

CHALLENGING ENVIRONMENTS



hygienic, hard wearing and anti-bacterial

99.9% REDUCTION OF BACTERIA INCLUDING MRSA & E-COLI for the life of the coating

- ▶ **CORROSION PROOF**
- ▶ **VANDAL RESISTANT**
- ▶ **HIGHLY WATER RESISTANT**
- ▶ **NO ON-SITE ASSEMBLY**
- ▶ **10 YEAR GUARANTEE****
- ▶ **GRAFFITI PROOF**



ULTRABOX® CHALLENGING ENVIRONMENTS
PLASTIC LOCKERS



PR **BE**

www.probe-manufacture.co.uk

4

NO ASSEMBLY REQUIRED





5

**Terms and conditions apply, see www.probe-manufacture.co.uk for details.

- ▶ NO ON-SITE ASSEMBLY
- ▶ VANDAL RESISTANT
- ▶ RUST PROOF

- ▶ 10 YEAR GUARANTEE^{††}
- ▶ WATERPROOF*
- ▶ ANTI-BACTERIAL
- ▶ ONE PIECE DESIGN FOR A NEATER FINISH AND SPEEDY INSTALLATION



OPTIONAL SLOPING TOP
Preventing the accumulation of rubbish

OPTIONAL WATERPROOF SEAL MAKES THE ULTRABOX PLUS FULLY WATERPROOF



WATERPROOF LOCKS AVAILABLE
See back Page for options

HEAVY DUTY CONCEALED HINGES

HEAVY DUTY, VANDAL PROOF CONCEALED HINGES

ROBUST FRAME LOCKING
Lock cam fits securely behind door frame

COMPARTMENT DRAIN HOLE
Used for draining water after cleaning*



SUPER STRONG POLYETHYLENE DOOR AND BODY

COMPARTMENT DRAIN HOLE SITS NEATLY OUT OF SIGHT BEHIND THE DOOR*

AC+IVECOAT[®]
anti-bacterial technology



OPTIONAL ADJUSTABLE FEET
For leveling on uneven ground


AFTER WASHING THE LOCKER THE SLOPING SHELF DIRECTS WATER TO THE DRAIN HOLE
Drain hole is sealed on Ultrabox plus

AVAILABLE COLOURS FOR ULTRABOX LOCKERS

DOOR COLOUR



BODY COLOUR



www.probe-manufacture.co.uk

^{††}Terms and conditions apply, see www.probe-manufacture.co.uk for details.

CHALLENGING ENVIRONMENTS

ACTIVECOAT[®] hygienic, hard wearing and anti-bacterial
anti-bacterial technology 99.9% REDUCTION OF BACTERIA INCLUDING MRSA & E-COLI for the life of the coating

*The drain hole is sealed on the Ultrabox Plus version



OUR PREFERRED CANOPY SUPPLIER

t: 01538 380 080 www.falco.co.uk



MADE IN THE UK

PR *O* **BE**

www.probe-manufacture.co.uk

8

††Terms and conditions apply, see www.probe-manufacture.co.uk for details.

NO ASSEMBLY REQUIRED



9

ULTRABOX®

STYLE, INDOORS OR OUT*

*If sheltered from direct rain



A RANGE OF LOCKS SHOWN HERE FOR ILLUSTRATION PURPOSES
SEE BACK PAGE FOR FULL RANGE



MADE IN THE UK

PR **BE**


www.probe-manufacture.co.uk

10

ULTRABOX PLUS⁺

PERFORMS IN THE MOST CHALLENGING ENVIRONMENTS

SUITABLE FOR EXTREME ENVIRONMENTS
AND ALL WEATHER CONDITIONS



CHALLENGING ENVIRONMENTS



ACTIVECOAT[®]
anti-bacterial technology

hygienic, hard wearing and anti-bacterial

99.9% REDUCTION OF BACTERIA INCLUDING MRSA & E-COLI for the life of the coating

11

††Terms and conditions apply, see www.probe-manufacture.co.uk for details.



PR *O* **BE**

www.probe-manufacture.co.uk

12

††Terms and conditions apply, see www.probe-manufacture.co.uk for details.

NO ASSEMBLY REQUIRED



13

ULTRABOX® NESTING

All Ultrabox lockers can be securely nested with basic tools. The preformed guide indentation in each corner of the locker is simply drilled out with an 8mm drill bit, then a nut and bolt with a waterproof gasket is inserted in each hole creating a secure, waterproof connection between the lockers.




Pre formed indentations allow for easy drilling and bolting when nesting is required. Rubber gasket ensures a secure and water proof connection between lockers.

ULTRABOX® SEATS & STANDS

A range of seats and stands are available for Ultrabox lockers keeping them off the ground for situations where there may often be standing water. Stands are available to accommodate 1, 2, 3 or 4 lockers and can be combined to hold as many lockers as you require.

SIZES AVAILABLE TO ACCOMMODATE BANKS OF 1, 2, 3 OR 4 LOCKERS WIDE

Stands can be combined to accommodate any number of lockers.



LOCKER STANDS

Idea for areas that have regular standing water. All stands come with adjustable feet, two of which are floor anchors.

LOCKER SEAT & STANDS

These seats and stands allow the user to sit while changing and raise the locker off the ground and out of any standing water.

SIZES AVAILABLE TO ACCOMMODATE BANKS OF 1, 2, 3 OR 4 LOCKERS WIDE

Seat and Stands can be combined to accommodate any number of lockers.



MATERIAL SPECIFICATION



Product made from MDPE (Medium High Density Polyethylene) Carcass, Doors and Shelves.
The Material can work in severe climatic conditions from -29°C to 40°C

ULTRA VIOLET PROTECTION (UV)



By adding a UV stabilizer HALS (hindered amine light stabilizer UV15) PE material can last up to 15 years in Northern Europe, but this can be time may be less in very harsh environment ie. (Deserts, or the ocean Pacific). This means that after 12 years in the Northern regions, 50% of the original mechanical properties are left. If no UV stabilizers are present then the product will become brittle over time and colours will fade.

PRODUCT GUARANTEE



Probe warrants to commercial and institutional purchasers only each new UltraBox locker unit purchased from us to be free from defects in materials and workmanship under normal use and service for a period of one year and be free from rust, delamination or breakage of any plastic components for a period of 10 years under normal use. This warranty is measured from the date of our invoices, upon the following terms and conditions:

This warranty is limited to replacing or repairing, at our option, transportation charges prepaid by the purchaser, any UltraBox locker unit or part therefore which our inspection shall show to have been defective within the limitations of this warranty.

This warranty does not cover installation labour charges and does not apply to any units that have been damaged by accident, abuse, improper installation, improper maintenance, or altered in any way.

ANTI-MICROBIAL RESISTANCE



Revolve N-272 protects your lockers from bacteria and the problems associated with bacteria. The antibacterial additive used is inorganic, and is able to inhibit the growth of bacteria, mold and yeast. The functional additive works from the inside out and prevents microbial growth in micro-cracks, dead spots and rough surfaces. Revolve N-272 protection gives better performance than the organic version since it is effective also against MRSA.





RECYCLING




The Material used in the production of the UltraBox Locker is able to be fully recycled The plastic recyclables are then shredded. These shredded fragments then undergo processes to eliminate impurities like paper labels. This material is melted and often extruded into the form of pellets, which are then used to manufacture other products.

AVAILABLE COLOURS FOR ULTRABOX LOCKERS

DOOR COLOUR



BODY COLOUR



CARE OF PRODUCT




To provide plastic lockers with the proper care and maintenance, the following instructions must be followed: All surfaces should be cleaned with a mild liquid soap only. The finish should then be wiped and dried. In areas containing showers, either self-contained or tiled-in units, the lockers in these rooms must receive ventilation from the outside so that humidity can escape.

UNDER NO CIRCUMSTANCE SHOULD THE FOLLOWING AGENTS BE USED:


- Abrasive powder or scouring pads
- Ceramic tile cleaners
- Solutions containing more than 1% by volume of ammonia
- Solutions containing acids or lye
- Solutions containing enzymes

If the above instructions are adhered to our products provide years of dependable service. Probe Storage shall not accept responsibility for product failure if the above instructions are not followed.




24.5kg

FULL HEIGHT LOCKER
HEIGHT 1800mm
WIDTH 325mm
DEPTH 450mm




26.1kg

FULL HEIGHT LOCKER
HEIGHT 1800mm
WIDTH 325mm
DEPTH 450mm




26.5kg

FULL HEIGHT LOCKER
HEIGHT 1800mm
WIDTH 325mm
DEPTH 450mm



9.8kg

MINI BOX 2 LOCKER
HEIGHT 900mm
WIDTH 325mm
DEPTH 450mm



4.9kg

MINI BOX LOCKER
HEIGHT 450mm
WIDTH 325mm
DEPTH 450mm



FULLY WATERPROOF



WATERPROOF HASP & STAPLE*
This design allows easy padlock fitting. Shank diameter min 5mm - max 7mm. Padlock sold separately.

○ **WATERPROOF**

*This lock is included in locker price. Request lock type at time of ordering.



WATERPROOF CAM LOCK
This is a Waterproof Chlorine resistant high quality 7 pin tumbler system with a nickel silver key. Its all brass construction lends itself for use in harsh environments such as swimming pools.



Two keys are included with each standard lock.

○ **WATERPROOF**
○ **CHLORINE RESISTANT**



DIGITAL COMBINATION LOCK 40,000 COMBINATIONS

- **WATERPROOF**
- **CHLORINE RESISTANT**
- Simple to program
- Batteries last up to 50,000 operations
- Single user supplied as standard
- Multi user option available (specify when ordering)



WATERPROOF COIN/TOKEN - RETURN/RETAIN

These Waterproof and Chlorine resistant locks are available with coin denominations £/€ or tokens, for either return or retain.

○ **WATERPROOF**
○ **CHLORINE RESISTANT**

WEATHER RESISTANT



WATER RESISTANT CAM LOCK*
Micro sprung 10 disc lock incorporating spring loaded weather shield. This lock features a massive 3000 serial combinations all exclusive to Probe.

Two keys are included with each standard lock.

○ **WEATHER RESISTANT**

*This lock is included in locker price. Request lock type at time of ordering.



RE-ENGINEERED RE-PROGRAMMABLE COMBINATION LOCK
Reprogrammable Combination Lock, tough Zinc Alloy housing and dials with 10,000 possible combinations. Lost codes reset with key, sold separately. Suitable for multi user applications.

○ **WEATHER RESISTANT**

WATER PROOF

Suitable for the most challenging environments and all weather conditions


WEATHER RESISTANT

Suitable for indoors or out if sheltered from direct rain

NO WEATHER PROTECTION

For internal use where not exposed to water or chlorine

ULTRABOX PLUS⁺



WATERPROOF DOOR SEAL

WATERPROOF LOCK GASKET

WATERPROOF DRAIN HOLE PLUG

SEAL OUT THE WEATHER
WATERPROOF SEAL, PLUG AND LOCK GASKET MAKES THE ULTRABOX PLUS FULLY WATERPROOF[†]

[†]We recommend the use of weather resistant or waterproof locks

OPTIONAL ADJUSTABLE FEET FOR UNEVEN FLOORS



OPTIONAL SLOPING TOP PREVENTING THE ACCUMULATION OF RUBBISH

Sloping top increases the locker height by 150mm



OPTIONAL WATERPROOF SEAL MAKES THE ULTRABOX PLUS LOCKER FULLY WATERPROOF



DRAIN HOLE SITS NEATLY OUT OF SIGHT BEHIND THE DOOR ALLOWING THE INSIDE TO BE JET WASHED AND THE WATER TO DRAIN

Drain hole is sealed on Ultrabox plus



SLOPING SHELF ALLOWS JET WASH WATER TO DRAIN TOWARDS THE DRAIN HOLE

Drain hole is sealed on Ultrabox plus



DOUBLE COAT HOOK FITTED IN ALL TWO DOOR LOCKERS



OPTIONAL NUMBER PLATE



NO WEATHER PROTECTION



RE-PROGRAMMABLE COMBINATION LOCK

Re-programming using service key
Easy to use front facing dial with 10,000 combinations. One Service Key required per installation. Service Key sold separately. Not recommended for multi user applications.



DIGITAL COMBINATION LOCK 40,000 COMBINATIONS

- Simple to program
- Batteries last up to 50,000 operations
- Single user supplied as standard
- Multi user option available (specify when ordering)
- Emergency access using service key



BeCode Air+ RFID Technology

The BeCode Air+ only has to be 'shown the card' (or matching transponder) to operate. No external programming devices needed. 10,000 closings with one battery. It doesn't get any simpler.